

ANALISI SISMICA A RIFRAZIONE

POSIZIONE DEGLI SPARI

Ascissa [m]	Quota [m]	Nome File
-14.00	237.00	sedp.dat
-3.00	237.00	sbp.dat
16.50	237.82	sidp.dat
34.50	238.80	scp.dat
52.50	239.90	sisp.dat
72.00	241.60	sap.dat
83.00	243.00	sesp.dat

POSIZIONE DEI GEOFONI E PRIMI ARRIVI

N.	Ascissa [m]	Quota [m]	FBP da -14 [ms]	FBP da -3 [ms]	FBP da 16.5 [ms]	FBP da 34.5 [ms]	FBP da 52.5 [ms]	FBP da 72 [ms]	FBP da 83 [ms]
1	0.00	237.00	86.10	15.38	88.41	158.37	198.34	222.06	240.48
2	3.00	237.15	103.02	26.14	76.11	156.06	192.19	216.89	235.67
3	6.00	237.31	123.00	46.13	60.73	150.68	187.58	214.83	230.86
4	9.00	237.46	141.45	61.50	36.90	138.38	182.97	209.05	227.25
5	12.00	237.62	150.68	87.64	21.53	117.62	170.67	200.37	223.64
6	15.00	237.77	157.00	109.17	10.25	99.94	159.90	190.04	217.63
7	18.00	237.93	162.98	123.00	6.15	79.95	149.14	182.81	214.02
8	21.00	238.08	166.05	132.23	16.91	66.88	139.92	176.71	209.21
9	24.00	238.24	173.74	144.53	34.59	59.13	132.23	170.41	205.61
10	27.00	238.39	178.35	153.75	52.28	39.98	123.00	163.19	198.39
11	30.00	238.55	187.58	159.90	65.35	26.14	112.24	156.99	191.18
12	33.00	238.70	193.73	164.52	83.03	8.46	99.94	151.39	177.22
13	36.00	238.90	201.42	175.28	96.86	4.75	83.03	141.22	168.47
14	39.00	239.10	215.26	181.43	116.85	23.83	69.19	132.84	159.72
15	42.00	239.20	218.33	189.12	127.62	36.13	53.81	123.39	155.34
16	45.00	239.40	227.56	195.27	136.07	56.89	39.98	113.66	144.40
17	48.00	239.50	233.71	199.88	146.83	76.11	22.34	102.99	129.09
18	51.00	239.70	244.47	202.96	153.75	89.18	1.79	86.06	113.77
19	54.00	240.00	249.08	209.11	159.90	101.48	3.59	69.12	105.02
20	57.00	240.20	253.69	212.18	169.13	111.47	19.17	54.01	83.14
21	60.00	240.50	256.77	216.79	174.51	125.31	24.75	46.75	70.01
22	63.00	240.70	261.38	221.41	178.35	130.69	35.95	34.00	59.07
23	66.00	240.90	264.46	226.02	182.97	136.84	45.53	25.25	50.32
24	69.00	241.30	267.53	230.63	187.58	139.15	57.51	12.82	36.98


DISTANZA DEI RIFRATTORI DAI GEOFONI

N. Geof.	Dist. Rifr. 1 [m]	Dist. Rifr. 2 [m]	Dist. Rifr. 3 [m]
1	8.8	13.7	15.4
2	8.1	11.9	16.5
3	7.5	11.5	17.1
4	8.0	10.3	17.3
5	7.4	8.6	18.3
6	6.8	8.0	19.0
7	6.3	9.6	18.4
8	6.2	9.0	18.9
9	5.5	8.4	19.2
10	4.9	8.9	19.5
11	4.3	9.8	19.3
12	3.7	10.1	19.7
13	3.2	10.5	19.9
14	2.6	11.2	20.1
15	2.5	11.6	19.7
16	2.7	10.6	20.3
17	2.7	9.9	20.3
18	2.6	9.7	20.4
19	1.8	8.8	21.6
20	2.5	6.2	22.4
21	2.1	4.7	23.5
22	1.5	3.3	24.5
23	0.9	1.9	25.5
24	0.5	0.7	26.8


VELOCITA' DEGLI STRATI

N. Strato	Velocità [m/s]
1	200.1
2	276.5
3	370.0
4	698.0


DROMOCRONE ORIGINALI




DROMOCRONE TRASLATE



PROFONDITA' RIFRATTORI



SEZIONE VERTICALE



200.1 m/s 276.5 m/s 370.0 m/s 698.0 m/s